

**AMENDMENT NO. 2**

to Specifications and Proposal Forms  
for the Department of Social Services, Divisions of Family Services,  
Rehabilitation Services for Blind, and Legal Services;  
Department of Economic Development, Division of Finance;  
Department of Public Safety, Missouri Veteran's Commission  
Department of Labor and Industrial Relations, Division of Human Rights  
Sikeston (Scott County), Missouri

RFP No. 10001298

July 11, 2001

Bidders are hereby informed that the following changes must be incorporated in the above-referenced RFP:

Cover/Title page (after the word) . . . boundaries: . . . is changed to read . . . should be within the city limits of Sikeston and must be in Scott County.

Attachment A

Item 1. Location is changed to read . . . should be within the city limits of Sikeston and must be in Scott County.

Item 16. Is changed to add . . . Department of Social Services as a tenant that will install systems furniture (where systems furniture is installed carpet tile/square should be used (see Attachment C)).

Add:

Attachment C

RFP #10001298

### **UPDATES TO SPECIFICATIONS**

**The following are changes to the standard specifications:**

#### **C.1 Carpet Tile/Square**

**C.1.1 Carpet tile should meet or exceed the following specifications and should be provided for all areas where system furniture is to be installed.**

Face yarn Weight:	26 ounces
Construction:	Tufted loop/tip shear/cut pile with 125 ounces vinyl composition with fiberglass stabilizer.
Dye Method:	Yarn or solution dyed.
Fiber Content:	Type 6,6 branded nylon
Density:	6,800 ounces or greater per cubic yard
Gauge:	Minimum 1/8"
Stitches:	Minimum 8.0 per inch
Warranty:	10-year commercial wear
Flammability:	Pass pill test, ASTM D-2859
Critical Radiant Flux:	Class I; not less than .45 watts ASTM E 648
NBS Smoke Density:	(NFPA-258), less than 450
Static Control:	S/B AATCC-134, less than 3.5 KV
Adhesive for Installation:	Solvent free

Carpet should be approved by the Carpet and Rug Institute's Indoor Air Quality Testing Program. If an existing facility with carpeting is proposed, the carpeting should be replaced. Carpeting should be provided in all areas except for restrooms, lounge, coffee bars, UA rooms, janitorial rooms, storage and lobby areas. These areas should have 1/8" vinyl resilient floor tile or equivalent. If the Bidder takes a variance to the carpet specifications and the carpet the Bidder selects wears out, the Bidder will be required to replace the worn carpet at no cost to the state, including the cost to move Tenant furniture and equipment.

All other terms and conditions of the original RFP shall remain the same.

Authorized by:

Tom Shea, State Leasing Coordinator  
Division of Facilities Management

TS:mav

c: Allen Schulte  
Fred Bax  
Ron Taylor  
Barry Dennison

-----  
--

#### **ACKNOWLEDGMENT OF AMENDMENT RECEIPT**

Please sign, date and return this acknowledgment of receipt of Amendment No. 2 to RFP No. 10001298 with your proposal.

\_\_\_\_\_  
Bidder

\_\_\_\_\_  
Date